Lecture 02: One-time Pad for Bit-strings

- We will see an encryption algorithm called "One-time Pad" for bit-strings
- In the future, we shall extend its domain to general abstract objects (for example, *groups*)

3

One-time Pad I

Yesterday.

• Secret-key Generation: Alice and Bob met and sampled a secret-key sk uniformly at random from the set $\{0,1\}^n$, mathematically represented by sk $\sim \{0,1\}^n$

Today.

- Goal: Alice wants to send a message m ∈ {0,1}ⁿ to Bob over a public channel so that any eavesdropper cannot figure out the message m.
- Encryption: To achieve this goal, Alice computes a ciphertext c that encrypts the message m using the secret-key sk, mathematically represented by $c = \text{Enc}_{sk}(m) := m \oplus sk$. Here \oplus represents the bit-wise XOR of the bits of m and sk.
- **Communication**: Alice sends the cipher-text *c* to Bob over a public channel
- **Decryption**: Now, Bob wants to decrypt the cipher-text c to recover the message m. Mathematically, this step is represented by $m' = \text{Dec}_{sk}(c) := c \oplus sk$

- Correctness: Note that we will always have m = m', i.e., Bob always correctly recovers the message
 - Note that in our case, we always have m = m'
 - There are encryption schemes where with a small probability $m \neq m'$ is possible, i.e., the encryption scheme is incorrect with a small probability
- Security: Later in the course we shall see how to mathematically prove the following statement.

"An adversary who gets the ciphertext *c* obtains no *additional information* about the message *m* sent by Alice."

伺下 イヨト イヨト



Figure: Pictorial Summary of the One-time Pad Encryption Scheme.

・ロン ・回 と ・ ヨ と ・ ヨ と …

Dropping one Restriction makes the task Trivial

- Suppose we insist only on correctness and not on security
 - The trivial scheme where $Enc_{sk}(m) = m$, i.e., the encryption of any message m using any secret key sk is the message itself, satisfies correctness. However, this scheme is completely insecure!
- Suppose we insist only on security and not on correctness
 - The trivial scheme where $Enc_{sk}(m) = 0$, i.e., the encryption of any message m using any secret key sk is 0, satisfies the security constraint. However, Bob cannot correctly recover the original message m with certainty!
- So, the non-triviality is to simultaneously achieve correctness and security

・ 同 ト ・ ヨ ト ・ ヨ ト

- We are <u>not</u> trying to hide the fact that Alice sent a message to Bob
- We are trying to hide <u>only the message</u> that is being sent by Alice to Bob

- Fix a cipher-text c
- Consider any message *m*
- There exists a <u>unique</u> secret-key $sk_{m,c}$ such that $Enc_{sk_{m,c}}(m) = \overline{c}$
- This observation shall be crucial to proving the security of the one-time pad private-key encryption scheme