

**SHIP TO:** Purdue University  
 1398 Computer Science Building  
 West Lafayette, IN 47907-1123

**ATTN:** B01-COYLE

**PHONE:** 765-494-6184

QTY	DESCRIPTION	LIST	TOTAL LIST
2	<b>PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY AL440LX 300MHz WORKSTATION</b>	2,448	4,896
	<b>BASE SYSTEM INCLUDES:</b>		
	PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION		
	INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD		
	ALTEC ACS90 SPEAKERS		
	MICROSOFT NT FOR WORKSTATIONS		
	MICROSOFT OFFICE'97		
	MICROSOFT PS2 INTELLIMOUSE		
	WIN95 104 KEY KEYBOARD		
	HARDWARE SUPPORT		
	CONFIGURATION AND SHIPPING		
	<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>		
2	MATROX MILLINIUM 2, AGP 8MB	213	426
4	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	2,068
2	128MB SDRAM/ECC DIMM	850	1,700
2	12/24X SCSI CD-ROM	150	300
2	33.6/56K MODEM	138	276
2	ATAPI ZIP W/1 MEDIA, NT 4.0	107	214
			<b>9,880</b>
1	<b>PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY AL440LX 300MHz WORKSTATION</b>	2,448	2,448
	<b>BASE SYSTEM INCLUDES:</b>		
	PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION		
	INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD		
	ALTEC ACS90 SPEAKERS		
	MICROSOFT NT FOR WORKSTATIONS		
	MICROSOFT OFFICE'97		
	MICROSOFT PS2 INTELLIMOUSE		
	WIN95 104 KEY KEYBOARD		
	HARDWARE SUPPORT		
	CONFIGURATION AND SHIPPING		
	<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>		

QTY	DESCRIPTION	LIST	TOTAL LIST
1	MATROX MILLINIUM 2, AGP 8MB	213	213
2	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	1,034
1	256MB SDRAM/ECC DIMM	1,825	1,825
1	12/24X SCSI CD-ROM	150	150
1	ATAPI ZIP W/1 MEDIA, NT 4.0	107	107
			<u>5,777</u>

2	<b>PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY AL440LX 300MHZ WORKSTATION</b>	2,448	4,896
---	---	-------	-------

**BASE SYSTEM INCLUDES:**

PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION

INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD

ALTEC ACS90 SPEAKERS

MICROSOFT NT FOR WORKSTATIONS

MICROSOFT OFFICE'97

MICROSOFT PS2 INTELLIMOUSE

WIN95 104 KEY KEYBOARD

HARDWARE SUPPORT

CONFIGURATION AND SHIPPING

**INTEGRATED OPTIONS - will be integrated into the system at the plant.**

2	MATROX MILLINIUM 2, AGP 8MB	213	426
4	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	2,068
2	256MB SDRAM/ECC DIMM	1,825	3,650
2	12/24X SCSI CD-ROM	150	300
2	4/8GB EIDE TAPE BACKUP DRIVE FOR SCSI NT	215	430
2	ATAPI ZIP W/1 MEDIA, NT 4.0	107	214
			<u>11,984</u>

2	<b>PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY AL440LX 300MHZ WORKSTATION</b>	2,448	4,896
---	---	-------	-------

**BASE SYSTEM INCLUDES:**

PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION

INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD

ALTEC ACS90 SPEAKERS

MICROSOFT NT FOR WORKSTATIONS

MICROSOFT OFFICE'97

MICROSOFT PS2 INTELLIMOUSE

WIN95 104 KEY KEYBOARD

HARDWARE SUPPORT

CONFIGURATION AND SHIPPING

QTY	DESCRIPTION	LIST	TOTAL LIST
	<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>		
2	MATROX MILLINIUM 2, AGP 8MB	213	426
4	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	2,068
2	128MB SDRAM/ECC DIMM	850	1,700
2	12/24X SCSI CD-ROM	150	300
2	4/8GB EIDE TAPE BACKUP DRIVE FOR SCSI NT	215	430
2	ATAPI ZIP W/1 MEDIA, NT 4.0	107	214
			<b>10,034</b>
2	<b>PENTIUM<sub>(R)</sub> II PROCESSOR W/ MMX<sub>(TM)</sub> TECHNOLOGY AL440LX 300MHz WORKSTATION</b>	2,448	4,896
	<b>BASE SYSTEM INCLUDES:</b>		
	PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION		
	INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD		
	ALTEC ACS90 SPEAKERS		
	MICROSOFT NT FOR WORKSTATIONS		
	MICROSOFT OFFICE'97		
	MICROSOFT PS2 INTELLIMOUSE		
	WIN95 104 KEY KEYBOARD		
	HARDWARE SUPPORT		
	CONFIGURATION AND SHIPPING		
	<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>		
2	MATROX MILLINIUM 2, AGP 8MB	213	426
2	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	1,034
2	256MB SDRAM/ECC DIMM	1,825	3,650
2	12/24X SCSI CD-ROM	150	300
			<b>10,306</b>
2	<b>PENTIUM<sub>(R)</sub> II PROCESSOR W/ MMX<sub>(TM)</sub> TECHNOLOGY AL440LX 300MHz WORKSTATION</b>	2,448	4,896
	<b>BASE SYSTEM INCLUDES:</b>		
	PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION		
	INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD		
	ALTEC ACS90 SPEAKERS		
	MICROSOFT NT FOR WORKSTATIONS		
	MICROSOFT OFFICE'97		
	MICROSOFT PS2 INTELLIMOUSE		
	WIN95 104 KEY KEYBOARD		
	HARDWARE SUPPORT		
	CONFIGURATION AND SHIPPING		
	<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>		

QTY	DESCRIPTION	LIST	TOTAL LIST
2	MATROX MILLINIUM 2, AGP 8MB	213	426
4	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	2,068
2	256MB SDRAM/ECC DIMM	1,825	3,650
2	12/24X SCSI CD-ROM	150	300
2	4/8GB EIDE TAPE BACKUP DRIVE FOR SCSI NT	215	430
2	ATAPI ZIP W/1 MEDIA, NT 4.0	107	214
			<b>11,984</b>

1	<b>PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY AL440LX 300MHz WORKSTATION</b>	2,448	2,448
---	---	-------	-------

**BASE SYSTEM INCLUDES:**

PENTIUM II 300Mhz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K CACHE W/ INTEGRATED YAMAHA WAVETBLE, AGP SUPPORT. 3 AVAILABLE DIMM SOCKETS, 2 EXTERNAL 5.25 BAYS, 3 EXTERNAL 3.5 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3 PCI EXPANSION SLOTS, 1 ISA/PCI EXPANSION

INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD

ALTEC ACS90 SPEAKERS

MICROSOFT NT FOR WORKSTATIONS

MICROSOFT OFFICE'97

MICROSOFT PS2 INTELLIMOUSE

WIN95 104 KEY KEYBOARD

HARDWARE SUPPORT

CONFIGURATION AND SHIPPING

**INTEGRATED OPTIONS** - will be integrated into the system at the plant.

1	MATROX MILLINIUM 2, AGP 8MB	213	213
2	4GB ULTRA WIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	517	1,034
1	128MB SDRAM/ECC DIMM	850	850
1	12/24X SCSI CD-ROM	150	150
1	4/8GB EIDE TAPE BACKUP DRIVE FOR SCSI NT	215	215
1	ATAPI ZIP W/1 MEDIA, NT 4.0	107	107
			<b>5,017</b>

1	<b>DUAL 300MHz SCSI PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY WORKSTATION</b>	4,689	4,689
---	---	-------	-------

**SYSTEM INCLUDES:**

PENTIUM II 300MHz MINITOWER BASE W/ MMX TECHNOLOGY AND 512K L2 CACHE W/ INTEGRATED YAMAHA WAVETBLE, INTEGRATED EIDE CONTROLLER, 1 PARALLEL PORT, 2 USB PORTS, 2 SERIAL PORTS, 2 EXTERNAL 5.25 DRIVE BAYS, 2 INTERNAL 3.5 DRIVE BAYS, 3COM ONBOARD NETWORK CARD

PENTIUM II 300MHz, 512K CACHE SECOND PROCESSOR

12X/24X SCSI CD-ROM

ALTEC ACS90 SPEAKERS

MICROSOFT NT FOR SERVERS

MICROSOFT OFFICE'97

MICROSOFT PS2 INTELLIMOUSE

WIN95 104 KEY KEYBOARD

HARDWARE SUPPORT

QTY	DESCRIPTION	LIST	TOTAL LIST
<b>CONFIGURATION AND SHIPPING</b>			
<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>			
1	STB VELOCITY AGP 4MB VIDEO BOARD	65	65
1	9.1GB ULTRAWIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	1,430	1,430
1	512MB ECC/EDO MEMORY USING 128MB DIMMS	4,197	4,197
1	12/24GB DAT AND TAPE BACKUP DRIVE	1,299	1,299
1	ATAPI ZIP W/1 MEDIA, NT 4.0	107	107
			<b>11,787</b>
1	<b>DUAL 300MHz SCSI PENTIUM<sup>(R)</sup> II PROCESSOR W/ MMX<sup>(TM)</sup> TECHNOLOGY SERVER</b>	5,405	5,405
<b>SERVER INCLUDES:</b>			
PENTIUM II 300MHz W/ DUAL PROCESSOR CAPABILITY. ULTRA WIDE SCSI ONBOARD CONTROLLER W/ 512K CACHE. 3 EXTERNAL 5.25 DRIVE BAYS, 3 INTERNAL 3.25 DRIVE BAYS, 3 32-BIT EISA EXPANSION SLOTS AND 3 PCI EXPANSION SLOTS			
DUAL PENTIUM II PROCESSOR W/ 512K CACHE			
2940 PCI SCSI CONTROLLER			
12X/24X SCSI CD-ROM			
INTEL ETHEREXPRESS PRO/100B PCI FAST ETHERNET LAN CARD			
MICROSOFT NT FOR SERVERS			
MICROSOFT PS2 INTELLIMOUSE			
WIN95 104 KEY KEYBOARD			
HARDWARE SUPPORT			
CONFIGURATION AND SHIPPING			
<b>INTEGRATED OPTIONS - will be integrated into the system at the plant.</b>			
1	ACCEL GRAPHICS ProMX 16MB	1,695	1,695
5	9.1GB ULTRAWIDE SCSI HARD DRIVE W/ 2940 CONTROLLER	1,499	7,495
1	512MB ECC/EDO USING 128MB DIMMS	3,599	3,599
1	EXPANDABLE RAID W/ 32MB	1,498	1,498
			<b>19,692</b>
<b>PIECEPART OPTIONS - will not be integrated. Will arrive at the site as a piecepart option</b>			
11	ULTRASCAN 21" 20T TRINITRON	1,400	15,400
2	INTEL 12-PORT SWITCHABLE HUB	2,070	4,140
1	LANDESK SERVER MANAGER PRO V2.51	1,499	1,499
1	LANDESK NETWORK MANAGER	395	395
	<b>TOTAL</b>		<b>117,895</b>